Institut für Molekulare Medizin und Zellforschung



Characterization of the atypical kinase RioK1 in *Caenorhabditis elegans* and its role in Ras-driven cancer

Inaugural-Dissertation zur Erlangung der Doktorwürde der Fakultät für Biologie der Albert-Ludwigs-Universität Freiburg im Breisgau

> vorgelegt von Florian Weinberg geboren in Freiburg im Breisgau

> > Freiburg im Breisgau Juli 2015



digitalisiert durch



Table of Content

Abbreviations	vi
1.1 Zusammenfassung	1
1.2 Summary	2
2 Introduction	3
2.1 Protein kinases	3
2.2 Rio kinases	3
2.2.1 Rio Kinases are essential co-factors of ribosomal biogenesis	5
2.2.2 Rio Kinases are involved in cell cycle progression	5
2.2.3 Rio Kinases are over-expressed in various cancer types	6
2.3 Signaling pathways	7
2.3.1 Ras signaling	7
2.3.1.1 Ras proteins act as molecular switches	10
2.3.1.2 Targeting mutated Ras proteins	11
2.3.2 NF-кB signaling	14
2.4 Characteristics of cancer	16
2.4.1 Lung cancer	17
2.4.2 Breast cancer	18
2.4.3 Colorectal cancer	18
2.5 Caenorhabditis elegans as a model system	19
2.5.1 Vulval development of C. <i>elegans</i>	20
3 Aim of the study	21
4 Results	23
4.1 RioK1 was found in an RNAi screen for regulators of oncogenic Ras signaling in Caenorhabditis elegans	23
4.2 Expression of riok-1 in Caenorhabditis elegans	
4.3 Knockdown of <i>riok-1</i> in <i>Caenorhabditis elegans</i> leads to abnormal gonadal	
development and reduces broodsize	27
4.4 Rio kinase expression in different mouse organs	29
4.5 Over-expression of RioK1 in the colorectal cancer cell line Caco-2	29
4.5.1 A mass spectrometric approach to identify novel interaction partners of RioK1.	31
4.6 Over-expression of RioK1 in the untransformed mammary epithelial cell line MCF1	0A
4.7 Establishment of Rio kinase knockdown in different cancer cell lines	
4.7.1 RioK1 knockdown in the NSCLC cancer cell lines A549 and NCI-H1299	40
4.7.1.1 Establishment of Rio kinase knockdown in A549 cells	40
4.7.1.2 Loss of RioK1 in NCI-H1299 cells impairs proliferation in conventional and 3D culture	
systems	42

TABLE OF CONTENT

•

4.7.1.3 Identification of novel RioK1 effector proteins by SILAC-based mass spectrometry 44
4.7.1.4 RioK1 effector pathways were identified by an antibody microarray
4.7.1.5 RioK1 knockdown blocks cell cycle progression at the G2/M transition
4.7.1.6 RioK1 depletion results in reduced cell metabolic activity
4.7.1.7 Loss of RioK1 does not induce cell death but senescence
4.7.1.8 Influence of RioK1 on Ras-activated pathways
4.7.1.9 RioK1 promotes cell invasiveness by activating NF-κB signaling
4.7.1.10 Inhibition of the NF-κB pathway phenocopies the loss of RioK1 in NCI-H1299 in 3D matrix culture
4.7.1.11 RioK1 knockdown or inhibition of NF-κB signaling prevents the formation of invasive filopodia-like structures in 3D matrix
4.7.1.12 RioK1 enhances the metastatic potential of NCI-H1229 cells to the lung in vivo 55
4.7.1.13 An attempt to restore NCI-H1299 cell proliferation by over-expression of mutant
RioK1 constructs
4.8 Direct protein interaction partners of RioK164
4.9 Knockdown of RioK1 in the Ras-driven breast cancer cell line MDA-MB-231 and the colorectal cancer cell line SW480 inhibits proliferation71
4.9.1 Knockdown of RioK1 in MDA-MB-231 cells impairs growth and cell metabolism71
4.9.2 Knockdown of RioK1 in SW480 cells reduces cell proliferation but does not influence the expression of RioK1 effector proteins73
4.9.2.1 Over-expression of RioK1 in SW480 does not affect cell proliferation
4.10 SW620 cells are not affected by RioK1 knockdown77
4.11 RioK1 knockdown has no significant impact on cancer cells lacking Ras mutations79
4.11.1 Knockdown of RioK1 in the colorectal cancer cell line RKO hardly impairs proliferation
4.11.2 K562 cells are non-responsive to modulation of RioK1 expression
4.12 RioK1 knockdown in the non-transformed mammary epithelial cell line MCF10A does not impair cell proliferation83
4.13 Analysis of identified RioK1 effectors in the RioK1 over-expressing MCF10Atet and Caco-2tet cell lines
4.14 Immuno-histochemistry of patient derived tumor specimens
5 Discussion
5.1 Expression pattern analysis and functional characterization of <i>riok-1</i> in <i>Caenorhabditis</i> elegans
5.2 Rio kinase expression in the mouse93
5.3 Inducible gene expression and gene suppression systems
5.4 Caco-2 cells react to RioK1 over-expression with morphological changes and invasive growth
5.5 Analysis of growth factor stimulated signaling cascades in MCF10A cells over- expressing RioK195

· .

5.6 RioK1 knockdown impairs cell viability of oncogenic Ras-driven cancer cells.	96
5.6.1 Establishment of knockdown cell lines	96
5.6.2 Knockdown of RioK1 but not of RioK2 or RioK3 impaires cell proliferation	n96
5.6.3 Identification of RioK1 signaling pathways and effector proteins	97
5.6.3.1 RioK1 knockdown impairs the cell metabolism of Ras-driven cancer cells	
5.6.3.2 Novel interaction partners and effectors of RioK1	
5.6.3.2.1 RioK1 knockdown blocks cell cycle progression at the G2 to M transition	on 98
5.6.3.2.2 Rio kinases form homo- and heterodimers	
5.6.3.2.3 CDK1, LARP1, Stathmin1 and Metadherin, novel substrates of RioK1?	99
5.6.4 RioK1 is part of the NF-κB signaling pathway	100
5.7 RioK1 promotes metastasis to the lung <i>in vivo</i>	
5.8 RioK1, a promising target for Ras-driven tumors?	
6 Conclusion and outlook	106
7 Material	107
7.1 Cells	107
7.2 Worm strains	107
7.3 Media	107
7.4 Reagents and inhibitors for cell culture	108
7.5 Antibodies	109
7.5.1 Primary antibodies	109
7.5.2 Secondary antibodies (horse-radish peroxidase conjugated)	110
7.5.3 Antibodies and compounds used for immuno-fluorescence	110
7.6 Bacteria used for cloning and worm feeding	110
7.7 Chemicals	111
7.8 Buffers and solutions	113
7.9 Oligo-nucleotides	115
7.10 Plasmids	117
	117
7.10.1 cDNA plasmids	118
7.10.1 cDNA plasmids 7.10.2 shRNA plasmids	
	118
7.10.2 shRNA plasmids	
7.10.2 shRNA plasmids 7.10.3 Plasmids used for <i>C. elegans</i>	119
7.10.2 shRNA plasmids 7.10.3 Plasmids used for <i>C. elegans</i> 7.11 Kits	119 119
7.10.2 shRNA plasmids 7.10.3 Plasmids used for <i>C. elegans</i> 7.11 Kits 7.12 Enzymes	119 119 119
 7.10.2 shRNA plasmids 7.10.3 Plasmids used for <i>C. elegans</i> 7.11 Kits 7.12 Enzymes 7.13 Laboratory equipment 	119 119 119 121
 7.10.2 shRNA plasmids 7.10.3 Plasmids used for <i>C. elegans</i> 7.11 Kits 7.12 Enzymes 7.13 Laboratory equipment 7.14 Consumables 	119 119 119 121 121
 7.10.2 shRNA plasmids 7.10.3 Plasmids used for <i>C. elegans</i> 7.11 Kits 7.12 Enzymes 7.13 Laboratory equipment 7.14 Consumables 7.15 Software 	119 119 119 121 121 122
 7.10.2 shRNA plasmids. 7.10.3 Plasmids used for <i>C. elegans</i>. 7.11 Kits. 7.12 Enzymes. 7.13 Laboratory equipment 7.14 Consumables. 7.15 Software. 7.16 Websites. 	119 119 119 121 121 122 123

8.1.1 Cultivation of cells	123
8.1.2 Counting of cells	123
8.1.3 Cryo-conservation of cells	123
8.1.4 Transfection of cells	123
8.1.5 Retroviral infection of cells	123
8.1.6 Lentiviral infection of cells	124
8.1.7 Generation of cell lines by electroporation or nucleofection	124
8.1.8 MTT-Assay	124
8.1.9 Caspase3-Assay	124
8.1.10 NF-кВ Luciferase reporter assay	125
8.1.11 Senescence staining	125
8.1.12 Colony Formation Assay (CFA)	125
8.1.13 Three-dimensional matrix culture	125
8.1.14 Immuno-fluorescence (IF)	125
8.1.15 Imaging	126
8.1.16 Flow cytometry	126
8.1.17 Stable isotop labeling in cell culture (SILAC)	126
8.1 18 Xenograft experiments and isolation of tissue samples	
8.1.19 Preparation of tissue samples and immuno-histochemistry	127
8.2 Biochemical methods	128
8.2.1 Preparation of total cell lysates (TCL)	128
8.2.2 Immuno-precipitation (IP)	128
8.2.3 SDS-PAGE	129
8.2.4 Western blotting	129
8.2.6 Statistical analysis of western blot detections	129
8.2.7 Mass spectrometry	129
8.3 Cloning	130
8.3.1 Polymerase Chain Reaction (PCR)	130
8.3.1.1 Touchdown-PCR	130
8.3.1.2 Site-directed mutagenesis (SDM)	131
8.3.2 Transformation of <i>E. coli</i>	131
8.3.3 Cryo-conservation of <i>E. coli</i>	131
8.3.4 DNA preparation	131
8.3.5 Measurement of DNA concentration und purity	131
8.3.6 DNA sequencing	
8.3.7 Enzymatic DNA digest, DNA analysis by electrophoresis and isolation fragments for cloning	
8.3.8 DNA cloning by enzymatic digest ligation	

.

٠

8.3.8.1 Verification of DNA plasmids by colony PCR, enzymatic digest or blue/whi	te screening
	132
8.4 Caenorhabditis elegans methods	133
8.4.1 Worm maintenance	133
8.4.2 Generation of transgenic worm lines by microinjection	133
8.4.3 RNAi to repress protein expression in <i>C. elegans</i>	133
8.4.4 Worm imaging	133
9 Appendix	134
9.1 Supplementary figure	134
9.2 DNA constructs used in this study	135
9.3 Supplementary tables:	137
10 References	142
11 Danksagung	157

.

i