Bioavailability of Organic Xenobiotics in the Environment

Practical Consequences for the Environment

edited by

Ph. Baveye

Laboratory of Environmental Geophysics, Cornell University, Ithaca, NY, U.S.A.

J.-C. Block

Laboratoire Santé Environnement, UMR Université CNRS 7564, Faculté de Pharmacie, Vandœuvre lès Nancy, France

and

V.V. Goncharuk

Dumansky Institute of Water and Colloidal Chemistry, Science Academyc of Ukraine, Kiev, Ukraine



Kluwer Academic Publishers

Dordrecht / Boston / London

Published in cooperation with NATO Scientific Affairs Division

TABLE OF CONTENTS

Prefacevii
Contributors ix
Part I. Organic Pollutants and Bioremediation
Persistent Organic Contaminants in the Environment: PAHs as a Case Study
Evaluation of Contamination Level of Dnieper River Basin by Organic and Inorganic Toxicants
Underground Pollution at a Former Military Installation in Valciunai (Lithuania)
Application of a Biodegradation-Redox Model for Predicting Bioremediation Performance *
Bioremediation of Environments Contaminated with Organic Xenobiotics: Putting Microbial Metabolism to Work: What happens with the Contaminant once it has reached the Cell Surface?
Factors Controlling the Biodegradation of Chemicals in Soils
Part II. Assessment of Bioavailability
The Use of Laboratory Model Systems to Elucidate the Mechanisms of Bioavailability of Hydrophobic Organic Compounds
Pollutant Aging Studies in Soils. Relevancy of Bench Scale Assessments to Field Conditions *
Factors Affecting the Evaluation of Long-Term PCB Biodegradation in Soils by White Rot Fungi *141 A. Kubátová and P. Erbanová
Quantifying the Intrinsic Bioremediation Potential and the Hazard Index of Organic Xenobiotics in Aquifers Based on their Bioavailability Rates *

^{*} Initially given at the Institute as a short volunteered presentation

The Use of Whole-Cell Living Biosensors to Determine the Bioavailability of Pollutants to Micoorganisms *	.153
Abiotic Transformations of Organic Xenobiotics in Soils: A Compounding Factor in the Assessment of Bioavailability P. Ruggiero	.159
Evaluation of Soil Adsorption-Desorption Capacity for the Assessment of Pesticide Bioavailability	.207
Bioavailability of Organic Xenobiotics in the Environment: A Critical Perspective	.227
Part III. Processes that Control Bioavailability	
Physico-Chemical Characterization, Reactivity and Biodegradability of Soil-Organic Matter	.251
Organic Pollutants Associated with Macromolecular Soil Organic Matter and Natural Formation of Bound Residues H. H. Richnow, E. Annweiler, W. Fritsche and M. Kästner	297
Phase-Distributions of Hydrophobic Chemicals in the Aquatic Environment: Existing Partioning Models are Unable to Predict the Dissolved Component in Several Common Situations O. Gustafsson and P. Gschwend	327
Bioavailability of Xenobiotic Organic Compounds to Remediate Soil Containing Clay Fractions: Limits of Engineering Solutions	349
Effect of PAHs and Heavy Metals on Activity of Soil Microflora*	377
Transport of Organic Xenobiotics in the Environment B. L. Hoyle and P. Baveye	<u>.</u> 381
Part IV. Strategies to Modify Bioavailability in Situ	
Limited Bioavailability of Organic Contaminants in the Environment: Policy Implications W. Verstraete	.409
The Role of Plants in the Remediation of Contaminated Soils: Phytoremediation of Soils	.429

Soils an	of the Bioavailability of PAHS in Heavily Contaminated d Sediments Treated via a Physico-Chemical Process	451
	s-Enhanced Bioremediation: A Review of the Effects of nts on the Bioavailability of Hydrophobic Organic Chemicals	
in Soils.	,,	463
Ryan N	Jordan and Alfred B. Cunningham	•
Subject In	dex	497