

Table of Contents

1. General Introduction	1
1.1 Mycorrhiza.....	1
1.1.1 Definition.....	1
1.1.2 Types of mycorrhizas	2
1.2 Arbuscular mycorrhiza Symbiosis.....	2
1.2.1 The biology of AM symbiosis	4
1.2.1.1 The AM infective propagules - Sources of inoculum.....	4
1.2.1.2 The AM asymbiotic and presymbiotic phases.....	5
1.2.1.3 The AM intraradical phase	6
1.2.1.4 The AM extraradical phase.....	7
1.2.2 Carbon cost to the plant of sustaining the AM symbiosis	8
1.2.3 Benefits of the AM symbiosis to the plant.....	9
1.2.3.1 The AM symbiosis and plant P nutrition.....	10
1.2.3.2 The AM symbiosis and plant N nutrition	12
1.2.4 The effects of plant nutrition on the development of the AM symbiosis	14
1.3 Management of the mycorrhizosphere: Innovative symbiosis technology for sustainable vegetable production.....	15
1.4 Choice of experimental plant.....	17
2. General materials and methods	18
2.1 Description and preparation of experimental plant growth substrate.....	18
2.2 Preparation of fungal compartments.....	19
2.3 Preparation of fungal compartment substrate.....	19
2.4 Extraction of ERM from fungal compartments.....	20
2.5 Mycorrhiza inoculum	20
2.6 Establishment of non-mycorrhizal control plants.....	21
2.7 Estimation of the AM fungal colonized root length.....	21
2.8 Estimation of hyphae length and number of spores	21
2.9 Nutrient analysis	21

3. Interactive effect of the $\text{NO}_3^-/\text{NH}_4^+$ supply ratio and arbuscular mycorrhiza fungal inoculation on phosphorus uptake by cowpea plants from sparingly available or soluble sources.....	23
3.1 Abstract	23
3.2 Introduction	24
3.3 Materials and methods	26
3.3.1 Planting, AM fungal inoculation and rock P amendment	26
3.3.2 Irrigation and nutrient supply	27
3.3.3 Experimental set-up, growth conditions and leachate pH measurements	28
3.3.4 Harvest	28
3.3.5 Nutrient analysis and statistics	28
3.4 Results	29
3.4.1 The pH of leachate draining from LP+RP pots after nutrient solution addition	29
3.4.2 Extent of AM fungal colonized root length	30
3.4.3 Plant growth	31
3.4.4 Leaf P concentration and P content	31
3.5 Discussion	33
3.5.1 Effects of N ($\text{NO}_3^-/\text{NH}_4^+$) fertilization ratio on rhizosphere pH and rock P solubilization	33
3.5.2 Effects of AM fungal colonization on rock P solubilization.....	33
3.5.3 Plant P uptake.....	34
3.5.4 Phosphorus uptake and plant growth	34
3.5.5 The AM fungal colonized root length as affected by P and N treatments	35
3.5.6 Conclusion.....	36
4. Influence of applied Nitrogen-form (NO_3^--N vs. NH_4^+-N) on mycorrhiza development and N transfer by the arbuscular mycorrhiza fungus <i>Glomus intraradices</i> in symbiosis with cowpea.....	37
4.1 Abstract	37
4.2 Introduction	38
4.3 Materials and methods	40
4.3.1 Pre-cultivation and AM fungal inoculation.....	40
4.3.2 Preparation of fungal compartments and fungal compartment substrate.....	41

4.3.3	Experimental set-up and growth conditions	41
4.3.4	Irrigation and harvest.....	43
4.3.5	Nutrient analysis and statistics	43
4.4	Results	44
4.4.1	Extent of AM fungal colonized length of roots in the pot substrate.....	44
4.4.2	Plant growth.....	45
4.4.3	Tissue P concentration and plant P content.....	45
4.4.4	Tissue N concentration and plant N content.....	48
4.4.5	Development of ERM and AM fungal colonized length of roots in the compartments	50
4.4.6	Nitrogen (^{15}N) uptake and transfer to the host plant by ERM.....	51
4.5	Discussion.....	54
4.5.1	Uptake and transfer of N by the ERM to the plant.....	54
4.5.2	Influence of sole supply of either NO_3^- -N or NH_4^+ -N on AM fungal colonization and development.....	56
4.5.2.1	Extent of AM fungal colonized length of roots in the pot substrate.....	56
4.5.2.2	The AM fungal colonized root length and ERM development in the compartments	56
4.5.3	Influence of the symbiosis on plant P nutrition and growth promotion	57
4.5.4	Conclusion.....	58
5.	Alkaline phosphatase activity of AM fungal extraradical hyphae in relation to host plant P uptake, and in response to the presence of the phytoestrogene formononetin.....	59
5.1	Abstract.....	59
5.2	Introduction	60
5.3	Materials and methods.....	62
5.3.1	Planting and AM fungal inoculation	62
5.3.2	Preparation of fungal compartments and fungal compartment substrate	62
5.3.3	Experimental set-up and growth conditions	62
5.3.4	Irrigation and plant harvest.....	63
5.3.5	Harvest and analysis of ERM in the fungal compartments	63
5.3.6	Nutrient analysis and statistics	64

5.4 Results	65
5.4.1 Extent of AM fungal colonized root length	65
5.4.2 Plant growth	66
5.4.3 Shoot P concentration and plant P content.....	68
5.4.4 Extraradical mycelium development and hyphae ALP activity.....	69
5.4.4.1 The DW of ERM harvested from fungal compartments	69
5.4.4.2 Hyphae length of ERM harvested from fungal compartments	71
5.4.4.3 Spore density of ERM harvested from fungal compartments	72
5.4.4.4 The ALP active hyphae length of the ERM harvested from fungal compartments	72
5.5 Discussion	74
5.5.1 The ALP activity of extraradical hyphae and P transport	74
5.5.2 Formononetin effect on the AM development and hyphae ALP activity	75
5.5.3 Extent of AM fungal colonized root length, hyphae development and plant response.....	76
5.5.4 Conclusion.....	79
6. Compatible host/fungus combination: Contribution of life cycle synchronisation to the success of the AM symbiosis	80
6.1 Abstract	80
6.2 Introduction	80
6.3 Materials and methods	82
6.3.1 Planting and AM fungal inoculation	82
6.3.2 Preparation of fungal compartments and fungal compartment substrate.....	83
6.3.3 Treatments, experimental set-up, and growth conditions	83
6.3.4 Irrigation and harvest	83
6.3.5 Nutrient analysis and statistics	84
6.4 Results	85
6.4.1 Extent of AM fungal colonized root length	85
6.4.2 Plant growth	86
6.4.3 Shoot P concentration and plant P content.....	88
6.4.4 Phosphorus use efficiency.....	90
6.4.5 Dry weight of ERM harvested from fungal compartments.....	91

6.5 Discussion.....	91
6.5.1 The AM development, P nutrition and plant growth response.....	91
6.5.2 The development of ERM in fungal compartments as influenced by the plant cultivar.....	94
6.5.3 Conclusion.....	95
7. A comparison of different inoculation techniques to improve the practical application of AM fungi with a slow developing life cycle	96
7.1 Abstract.....	96
7.2 Introduction	96
7.3 Materials and methods.....	98
7.3.1 Inoculum propagation and preparation.....	98
7.3.2 Preparation of “soilboxes”, substrate filling and AM fungal inoculation	99
7.3.3 Planting, experimental set-up and growth conditions	101
7.3.4 Preparation and insertion of “fungal tubes”	102
7.3.5 Harvest.....	103
7.3.6 Nutrient analysis and statistics	103
7.4 Results	104
7.4.1 Length of roots growing along the plexi-glass plate	104
7.4.2 Extent of AM fungal colonized root length.....	104
7.4.3 Plant growth.....	105
7.4.4 Shoot P concentration and plant P content	107
7.4.5 Root growth distribution in the soilbox.....	107
7.4.6 The development of ERM in the fungal tubes.....	108
7.4.7 Nitrogen (^{15}N) transfer to the host plant by ERM	109
7.5 Discussion.....	110
7.5.1 Influence of inoculation with intact mycelial network on P uptake and plant growth promotion	110
7.5.2 Influence of inoculum distribution on root colonization and relation to plant growth.....	111
7.5.3 The development of ERM and ^{15}N transfer to the plant.....	111
7.5.4 Influence of mycorrhization on vertical root distribution	112
7.5.5 Conclusion.....	113

8. General Discussion	114
8.1 Effects of N (NO_3^- vs. NH_4^+) fertilization ratio on mycorrhiza development and nutrient uptake.....	114
8.2 The ERM growth and hyphae ALP activity as markers for AM efficiency in terms of plant nutrient acquisition.....	116
8.3 Use of AM technology for improving cowpea production in P-poor soils	117
9. Summary/Zusammenfassung.....	120
9.1 Summary	120
9.2 Zusammenfassung.....	124
10. References.....	129
11. Acknowledgments.....	145